

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|-------|------------------|---------|------------------|
| L1 | 3220 | (709/203).CCLS. | USPAT | OR | OFF | 2006/04/06 17:32 |
| L2 | 748 | (709/213).CCLS. | USPAT | OR | OFF | 2006/04/06 17:32 |
| L3 | 247 | (709/214).CCLS. | USPAT | OR | OFF | 2006/04/06 17:32 |
| L4 | 143 | (711/6).CCLS. | USPAT | OR | OFF | 2006/04/06 17:33 |
| L5 | 403 | (711/161).CCLS. | USPAT | OR | OFF | 2006/04/06 17:33 |
| L6 | 821 | (711/162).CCLS. | USPAT | OR | OFF | 2006/04/06 17:33 |
| L7 | 526 | (711/165).CCLS. | USPAT | OR | OFF | 2006/04/06 17:33 |
| L8 | 1266 | (711/170).CCLS. | USPAT | OR | OFF | 2006/04/06 17:33 |
| L9 | 426 | (711/200).CCLS. | USPAT | OR | OFF | 2006/04/06 17:33 |
| L10 | 1088 | (711/202).CCLS. | USPAT | OR | OFF | 2006/04/06 17:33 |
| L11 | 569 | (711/203).CCLS. | USPAT | OR | OFF | 2006/04/06 17:41 |
| L12 | 107 | (setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same (cache\$1) same ((port\$1 or channel or connect\$4) with bandwidth) | USPAT | OR | OFF | 2006/04/06 17:58 |
| L13 | 22 | (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 12 | USPAT | OR | OFF | 2006/04/06 17:53 |
| L14 | 6283 | (setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same ((port\$1 or channel or connect\$4) with bandwidth) | USPAT | OR | OFF | 2006/04/06 17:48 |
| L15 | 142 | (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 14 | USPAT | OR | OFF | 2006/04/06 17:48 |
| L16 | 1670 | (setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with ((port\$1 or channel or connect\$4) near2 bandwidth) | USPAT | OR | OFF | 2006/04/06 17:48 |
| L17 | 28 | (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 16 | USPAT | OR | OFF | 2006/04/06 17:49 |
| L18 | 12372 | (setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same (cache\$1) | USPAT | OR | OFF | 2006/04/06 17:49 |
| L19 | 8106 | (setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with (cache\$1) | USPAT | OR | OFF | 2006/04/06 17:49 |
| L20 | 945 | (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 19 | USPAT | OR | OFF | 2006/04/06 17:49 |
| L21 | 4944 | (setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) near3 (cache\$1) | USPAT | OR | OFF | 2006/04/06 17:49 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| L22 | 587 | (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 21 | USPAT | OR | OFF | 2006/04/06 17:50 |
| L23 | 22 | 15 and 22 | USPAT | OR | OFF | 2006/04/06 17:50 |
| L24 | 271 | (setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same (cache\$1) same ((port\$1 or channel or connect\$4) with bandwidth) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 17:51 |
| L25 | 94 | ((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with (cache\$1)) and ((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with ((port\$1 or channel or connect\$4) near2 bandwidth)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 17:52 |
| L26 | 2 | (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 25 | USPAT | OR | OFF | 2006/04/06 17:53 |
| L27 | 5 | ((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same (cache\$1) same ((port\$1 or channel or connect\$4) with bandwidth)).clm. | US-PGPUB; USPAT | OR | OFF | 2006/04/06 18:01 |
| L28 | 1260 | ((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same ((port\$1 or channel or connect\$4) with bandwidth)).clm. | US-PGPUB; USPAT | OR | OFF | 2006/04/06 18:01 |
| L29 | 426 | ((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with ((port\$1 or channel or connect\$4) near2 bandwidth)).clm. | US-PGPUB; USPAT | OR | OFF | 2006/04/06 18:01 |
| L30 | 303 | ((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) near5 ((port\$1 or channel or connect\$4) near2 bandwidth)).clm. | US-PGPUB; USPAT | OR | OFF | 2006/04/06 18:01 |
| L31 | 1686 | ((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) near2 (cache\$1)).clm. | US-PGPUB; USPAT | OR | OFF | 2006/04/06 18:02 |
| L32 | 3 | (29 or 30) and 31 | US-PGPUB; USPAT | OR | OFF | 2006/04/06 18:03 |

EAST Search History

| | | | | | | |
|-----|----|---|--------------------|----|-----|------------------|
| L33 | 11 | ((("20050114593") or ("5051887") or ("5784703") or ("6289423") or ("6775739") or ("20020138705") or ("20030221063") or ("20040024977") or ("20040123029") or ("20040193797") or ("20050021908"))).PN. | US-PGPUB; USPAT | OR | OFF | 2006/04/06 18:05 |
|-----|----|---|--------------------|----|-----|------------------|